



Nano Scale Disruptive Silicon-Plasmonic Platform for Chip-to-Chip Interconnection

Generic DDCM compatible with plasmonic-based PHY functional specification

Deliverable no.: D5.4
Due date: 10/31/2013
Actual Submission date: 02/06/2014
Authors: ST
Work package(s): WP5
Distribution level: CO¹ (NAVOLCHI Consortium)
Nature: Document, available online in the restricted area of the NAVOLCHI webpage

List of Partners concerned

Partner number	Partner name	Partner short name	Country	Date enter project	Date exit project
1	Karlsruher Institut für Technologie	KIT	Germany	M1	M36
2	INTERUNIVERSITAIR MICRO-ELECTRONICA CENTRUM VZW	IMCV	Belgium	M1	M36
3	TECHNISCHE UNIVERSITEIT EINDHOVEN	TU/e	Netherlands	M1	M36
4	RESEARCH AND EDUCATION LABORATORY IN INFORMATION TECHNOLOGIES	AIT	Greece	M1	M36
5	UNIVERSITAT DE VALENCIA	UVEG	Spain	M1	M36
6	STMICROELECTRONICS SRL	ST	Italy	M1	M36
7	UNIVERSITEIT GENT	UGent	Belgium	M1	M36

¹ **PU** = Public
PP = Restricted to other programme participants (including the Commission Services)
RE = Restricted to a group specified by the consortium (including the Commission Services)
CO = Confidential, only for members of the consortium (including the Commission Services)

Deliverable Responsible

Organization: STMicroelectronics
Contact Person: Alberto Scandurra
Address: Stradale Primosole, 50 – 95121 Catania
Italy
Phone: +39 095 740 4432
Fax: +39 095 740 4008
E-mail: alberto.scandurra@st.com

Executive Summary

This document describes a generic version of the Dual Die Communication Module (DDCM) compatible with a plasmonic-based physical layer (PHY), in terms of architecture and functionality.

Change Records

Version	Date	Changes	Author
0.1 (draft)	2013-11-31	Start	Alberto Scandurra
1 (submission)	2014-02-06	Final version	Alberto Scandurra, Valentina Cernuto

Contents

1 INTRODUCTION	5
2 PARAMETERS	6
Top level	6
Initiators	6
Targets	7
Virtual wires	8
Clock domains synchronization.....	8
Retiming	8
FIFOs	9
Credit-based flow control.....	9
3 INTERFACES	11
System	11
Test	11
Configuration	11
Initiator	12
Target	13
Virtual wires	15
Programming	15
Security encoder	16
Physical channel	16
DDCM controller PHY adapter interface.....	17
Timing	17
4 REGISTERS	18
Registers access path.....	34
5 ARCHITECTURE.....	37
6 BUILDING-BLOCKS	40
Transmitter	40
Request Input Channel.....	40
Response Input Channel	42
Virtual Wires Input Channel.....	43

<i>Credits Input Channel</i>	45
<i>Flow Control and QoS</i>	45
<i>PHY Adapter</i>	46
<i>Digital blocks</i>	47
<i>Analog blocks</i>	49
<i>PHY</i>	50
Receiver 50	
<i>PHY</i>	50
<i>PHY Adapter</i>	50
<i>Analog blocks</i>	51
<i>Digital blocks</i>	51
<i>Router</i>	53
<i>Request Output Channel</i>	53
<i>Response Output Channel</i>	55
<i>Virtual wires Output Channel</i>	56
7 RESET STRATEGY	57
8 POWER CONTROL	57

1 Introduction

The **Dual Die Communication Module** (abbreviated **DDCM**) is the building-block responsible for the interconnection of different dice within a so called Network in Package (NiP), the communication system enabling inter dice data transmission in the context of Systems in Package (SiP) technology.

The DDCM described in this document supports a plasmonics-based PHY as physical layer.

From an architectural point of view it matches exactly the DDCM supporting an electrical PHY, as described in document D5.1 (Dual Die Communication Module Functional Specification).

The PHY adapter used in the new version, required to support the plasmonics-based PHY, is the one described in document MS5 (Digital domain to plasmonic domain interface specification and VHDL modelling).

According to a widely used approach, the DDCM is considered composed of two main building blocks:

- the DDCM **controller**, responsible for managing incoming/outgoing STNoC traffic and IDN segments, generating them through STNoC flits encapsulation and preparing them to be sent to the PHY transmitter, as well as collecting them from the PHY receiver;
- the DDCM **PHY**, responsible for transmitting output phyts across the physical link and collecting inputs phyts from the physical link.

Figure 1.1 shows the DDCM structure in terms of top level building-blocks. This structure does not depend on the physical layer structure and operation.




Figure 1-1: DDCM top level structure

2 Parameters

The DDCM is a parametric design that, depending on the SoC where it is used, can be configured properly in order to meet system requirements and needs in terms of interfaces, FIFOs sizes, clock domains synchronization and functionality.

The tables in next subsections list and describe the the DDCM parameters. Notice that these tables do not change with respect to the DDCM with electrical PHY.

Top level

Name	Description	Range	Default
init_port_nb	Number of STNoC initiators.	0 to 16	4
targ_port_nb	Number of STNoC targets.	0 to 16	4
virtual_wires_on	Specifies if to support virtual wires.	true/false	true
src_remapper_on	Specifies if to instantiate the src remapper	true/false	false
power_saving_on	Specifies if to instantiate the codec for dynamic power saving.	true/false	false

Table 2.1: Top level parameters

Initiators

Name	Description	Range	Default
init_i_ds_vn1_on	Specifies if the downstream interface is present in virtual network #1.	true/false	true
init_i_ds_vn2_on	Specifies if the downstream interface is present in virtual network #2.	true/false	false
init_i_ds_flit_size	Downstream interface flit size.	16,18,32,36,64,72,128,144	72
init_i_ds_flit_extra_bits_size	Downstream interface extra bits number.	0 to 144	0
init_i_ds_flit_id_atomic_on	Specifies if the flit_id_atomic port is present in downstream interface.	true/false	false
init_i_ds_flit_id_3_on	Specifies if the flid_id_3 port is present in downstream interface.	true/false	false
init_i_ds_flit_id_err_on	Specifies if the flid_id_err port is present in downstream interface.	true/false	false
init_i_ds_four_be_on	Specifies if the four_be port is present in downstream interface.	true/false	false
init_i_ds_four_be_size	Downstream interface four_be port size.	0 to 4	0
init_i_us_vn1_on	Specifies if the upstream interface is present in virtual network #1.	true/false	true
init_i_us_vn2_on	Specifies if the upstream interface is present in virtual network #2.	true/false	false
init_i_us_flit_size	Upstream interface flit size.	16,18,32,36,64,72,128,144	72

init_i_us_flit_extra_bits_size	Upstream interface extra bits number.	0 to 144	0
init_i_us_flit_id_3_on	Specifies if the flid_id_3 port is present in upstream interface.	true/false	false
init_i_us_flit_id_err_on	Specifies if the flid_id_err port is present in upstream interface.	true/false	false
init_i_us_four_be_on	Specifies if the four_be port is present in upstream interface.	true/false	false
init_i_us_four_be_size	Upstream interface four_be port size.	0 to 4	0

Table 2.2: Initiators parameters

Targets

Name	Description	Range	Default
targ_i_ds_vn1_on	Specifies if the downstream interface is present in virtual network #1.	true/false	true
targ_i_ds_vn2_on	Specifies if the downstream interface is present in virtual network #2.	true/false	false
targ_i_ds_flit_size	Downstream interface flit size.	16,18,32,36,64,72,128,144	72
targ_i_ds_flit_extra_bits_size	Downstream interface extra bits number.	0 to 144	0
targ_i_ds_flit_id_atomic_on	Specifies if the flit_id_atomic port is present in downstream interface.	true/false	false
targ_i_ds_flit_id_3_on	Specifies if the flid_id_3 port is present in downstream interface.	true/false	false
targ_i_ds_flit_id_err_on	Specifies if the flid_id_err port is present in downstream interface.	true/false	false
targ_i_ds_four_be_on	Specifies if the four_be port is present in downstream interface.	true/false	false
targ_i_ds_four_be_size	Downstream interface four_be port size.	0 to 4	0
targ_i_us_vn1_on	Specifies if the upstream interface is present in virtual network #1.	true/false	true
targ_i_us_vn2_on	Specifies if the upstream interface is present in virtual network #2.	true/false	false
targ_i_us_flit_size	Upstream interface flit size.	16,18,32,36,64,72,128,144	72
targ_i_us_flit_extra_bits_size	Upstream interface extra bits number.	0 to 144	0
targ_i_us_flit_id_3_on	Specifies if the flid_id_3 port is present in upstream interface.	true/false	false
targ_i_us_flit_id_err_on	Specifies if the flid_id_err port is present in upstream interface.	true/false	false
targ_i_us_four_be_on	Specifies if the four_be port is present in upstream interface.	true/false	false
targ_i_us_four_be_size	Upstream interface four_be port size.	0 to 4	0

Table 2.3: Targets parameters

Virtual wires

Name	Description	Range	Default
bundle_i_tx_size	Size, in terms of number of wires, of virtual wires bundle #i in DDCM transmitter.	0 to 80	80
bundle_i_sam_rate	Sampling rate of the bundle #i of the virtual wires DDCM transmitter port.	0 to 10	1
bundle_i_rx_size	Size, in terms of number of wires, of virtual wires bundle #i in DDCM receiver.	0 to 80	80

Table 2.4: Virtual wires parameters

Clock domains synchronization

Name	Description	Range	Default
idn_plug_synch_dff_nb	Number of synchronization flip-flops in DDCM clock domain.	1 to 8	2
prog_synch_dff_nb	Number of synchronization flip-flops in programming clock domain.	1 to 8	2
phy_tx_synch_dff_nb	Number of synchronization flip-flops in DDCM PHY transmitter clock domain.	1 to 8	2
phy_rx_synch_dff_nb	Number of synchronization flip-flops in DDCM PHY receiver clock domain.	1 to 8	2

Table 2.5: Clock domains synchronization parameters

Retiming

Name	Description	Range	Default
init_i_ds_retiming	Specifies whether a retiming stage has to be instantiated at initiator #i downstream interface.	true/false	false
targ_i_ds_retiming	Specifies whether a retiming stage has to be instantiated at target #i downstream interface.	true/false	false
init_i_us_retiming	Specifies whether a retiming stage has to be instantiated at initiator #i upstream interface.	true/false	false
targ_i_us_retiming	Specifies whether a retiming stage has to be instantiated at target #i upstream interface.	true/false	false

Table 2.6: Retiming parameters

FIFOs

Name	Description	Range	Default
init_i_tx_fifo_size	Size of the FIFO related to initiator port #i in DDCM transmitter.	2 to 128	8
targ_i_tx_fifo_size	Size of the FIFO related to target port #i in DDCM transmitter.	2 to 128	8
init_i_rx_fifo_size	Size of IDN segment FIFO related to initiator port #i in DDCM receiver.	8 to 128	8
targ_i_rx_fifo_size	Size of IDN segment FIFO related to target port #i in DDCM receiver.	8 to 128	8
targ_i_rx_fifo_saf_reset	Value after reset of the register specifying if store & forward mechanism has to be applied by the different FIFOs in DDCM receiver.	0 to 1	1

Table 2.7: FIFOs parameters

Credit-based flow control

Name	Description	Range	Default
targ_i_rx_fifo_threshold	Number of freed locations the IDN segment FIFO associated to target port #i of DDCM receiver must have in order to send a credit information.	0 to 7 n : 2 ⁿ locations (0 ≤ n ≤ 5) 6 : half FIFO 7 : whole FIFO	3
init_i_rx_fifo_threshold	Number of freed locations the IDN segment FIFO #i associated to an initiator port of DDCM receiver must have in order to send a credit information.	0 to 7 n : 2 ⁿ locations (0 ≤ n ≤ 5) 6 : half FIFO 7 : whole FIFO	3
targ_i_rx_fifo_credit_period	Value after reset of the frequency with which the credits information has to be sent for target IDN segment FIFO #i from the QoS module of the DDCM receiver.	0 to 7 0 : 4 cycles 1 : 8 cycles 2 : 16 cycles 3 : 32 cycles 4 : 64 cycles 5 : 128 cycles 6 : 256 cycles 7 : 512 cycles	7
init_i_rx_fifo_credit_period	Value after reset of the frequency with which the credits information has to be sent for initiator IDN segment FIFO #i from the QoS module of the DDCM receiver.	0 to 7 0 : 4 cycles 1 : 8 cycles	7

		2 : 16 cycles 3 : 32 cycles 4 : 64 cycles 5 : 128 cycles 6 : 256 7 : 512	
--	--	---	--

Table 2.8 : Credit-based flow control parameters

3 Interfaces

System

The system interface consists of the clocks on which the operation of the DDCM is based, and the asynchronous reset used for the initialization of the block.

Notice that the reset signal is managed as an asynchronous signal, and its synchronization with respect to the related clock is performed by proper modules inside the DDCM.

Signal name	I/O	Timing	Description
rst_n	I	N/A	Asynchronous active low reset
clk_plug	I	N/A	DDCM clock
clk_prog	I	N/A	Programming clock
clk_phy_tx	I	N/A	DDCM PHY transmitter clock
clk_phy_rx	I	N/A	DDCM PHY receiver clock

Table 3.1 –System interface

Test

The test interface consists of a set of ports allowing to test the DDCM digital modules (scan test) and the physical channel and its controller (PHY) after manufacturing.

Besides the usual scan test signals, i.e. tst_scanenable, tst_scanin, tst_scanout, a tst_mode port is required in order to bypass synchronizers and any synchronization logic during test, because of the need of a unique reset and a unique clock.

Signal name	I/O	Timing	Description
tst_scanenable	I	N/A	Scan test enable
tst_scanin	I	N/A	Scan test input
tst_scanout	O	N/A	Scan test output
tst_mode	I	N/A	Test mode enable
tst_phy_sce_sel	I	N/A	PHY test source selector
tst_pg_hi<15:0>	I	N/A	Pattern generator high data input
tst_pg_lo<15:0>	I	N/A	Pattern generator low data input
tst_pg_vld	I	N/A	Pattern generator data valid

Table 3.2 –Test interface

Notice that the width of scan test input and output signals will depend on the number of scan chains created within the DDCM, according to synthesis results.

Configuration

The configuration interface consists of a set of inputs (mode pins) allowing to configure the DDCM functionality after reset, so to be adapted to different contexts. Notice that the same functionality can be re-programmed through the correspondent registers accessible via the DDCM programming interface.

It's important to point out that this set of configuration signals is related to the DDCM implementation working with the electrical PHY able to operate in both DCE/SCE modes. Using a different PHY and related PHY adapter these parameters realistically will change. The configuration interface is synchronous with the clk_plug clock.

Signal name	I/O	Timing	Description
phy_tx_width	I	Late	When '0' all the 16 bits of the PHY transmitter interface are used, when '1' only 8 are used
phy_rx_width	I	Late	When '0' all the 16 bits of the PHY receiver interface are used, when '1' only 8 are used
phy_mode	I	Late	When '0' the PHY works in DCE mode, when '1' in SCE mode
lpe_tx_bypass	I	Late	When '0' the bus inverter transmitter for dynamic power optimization is bypassed, when '1' it's used

Table 3.3 –Configuration interface

Initiator

The initiator interface consists of standard STNoC initiator ports, i.e. a set of signals replicated a number of times according to how many initiators are connected to the DDCM.

If an initiator interface is synchronous with a clock differing from the DDCM main clock, the required frequency conversion is performed inside the DDCM itself.

The following tables report the downstream and upstream interfaces for a generic STNoC initiator, identified as initiator #i (1 <= i <= 16).

Signal name	I/O	Timing	Description
init_i_ds_flit<init_i_ds_flit_size+init_i_ds_flit_extra_bits_size-1:0>	I	Early	STNoC flit
init_i_ds_flit_id<1:0>	I	Early	Flit identifier
init_i_ds_flit_id_3	I	Early	Flit identifier bit 3
init_i_ds_flit_id_err<1:0>	I	Early	Error marker
init_i_ds_flit_id_atomic	I	Early	Atomic transaction flag
init_i_ds_four_be<init_i_ds_four_be_size-1:0>	I	Early	Four byte-enables
init_i_ds_vn1_val	I	Early	Virtual network #1 valid
init_i_ds_vn1_credit	O	Early	Virtual network #1 credit
init_i_ds_vn2_val	I	Early	Virtual network #2

			valid
init_i_ds_vn2_credit	O	Early	Virtual network #2 credit

Table 3.4 – STNoC initiator downstream interface

Signal name	I/O	Timing	Description
init_i_us_flit<init_i_us_flit_size+init_i_us_flit_extra_bits_size-1:0>	O	Early	STNoC flit
init_i_us_flit_id<1:0>	O	Early	Flit identifier
init_i_us_flit_id_3	O	Early	Flit identifier bit 3
init_i_us_flit_id_err<1:0>	O	Early	Error marker
init_i_us_flit_id_atomic	O	Early	Atomic transaction flag
init_i_us_four_be<init_i_us_four_be_size-1:0>	O	Early	Four byte-enables
init_i_us_vn1_val	O	Early	Virtual network #1 valid
init_i_us_vn1_credit	I	Early	Virtual network #1 credit
init_i_us_vn2_val	O	Early	Virtual network #2 valid
init_i_us_vn2_credit	I	Early	Virtual network #2 credit

Table 3.5 – STNoC initiator upstream interface

Target

The target interface consists of standard STNoC target ports, i.e. a set of signals replicated a number of times according to how many targets are connected to the DDCM.

If a target interface is synchronous with a clock differing from the DDCM main clock, the required frequency conversion is performed inside the DDCM itself.

The following tables report the downstream and upstream interfaces for a generic STNoC target, identified as target #i (1 <= i <= 16).

Signal name	I/O	Timing	Description
targ_i_ds_flit<targ_i_ds_flit_size+targ_i_ds_flit_extra_bits_size-1:0>	I	Early	STNoC flit
targ_i_ds_flit_id<1:0>	I	Early	Flit identifier

targ_i_ds_flit_id_3	I	Early	Flit identifier bit 3
targ_i_ds_flit_id_err<1:0>	I	Early	Error marker
targ_i_ds_flit_id_atomic	I	Early	Atomic transaction flag
targ_i_ds_four_be<targ_i_ds_four_be_size-1:0>	I	Early	Four byte-enables
targ_i_ds_vn1_val	I	Early	Virtual network #1 valid
targ_i_ds_vn1_credit	O	Early	Virtual network #1 credit
targ_i_ds_vn2_val	I	Early	Virtual network #2 valid
targ_i_ds_vn2_credit	O	Early	Virtual network #2 credit

Table 3.6 –STNoC target downstream interface

Signal name	I/O	Timing	Description
targ_i_us_flit<targ_i_us_flit_size+targ_i_us_flit_extra_bits_size-1:0>	O	Early	STNoC flit
targ_i_us_flit_id<1:0>	O	Early	Flit identifier
targ_i_us_flit_id_3	O	Early	Flit identifier bit 3
targ_i_us_flit_id_err<1:0>	O	Early	Error marker
targ_i_us_flit_id_atomic	O	Early	Atomic transaction flag
targ_i_us_four_be<targ_i_us_four_be_size-1:0>	O	Early	Four byte-enables
targ_i_us_vn1_val	O	Early	Virtual network #1 valid
targ_i_us_vn1_credit	I	Early	Virtual network #1 credit
targ_i_us_vn2_val	O	Early	Virtual

			network #2 valid
targ_i_us_vn2_credit	I	Early	Virtual network #2 credit

Table 3.7 –STNoC target upstream interface

Virtual wires

The virtual routing interface consists of a set of bundles configurable in terms of size, whose individual bits represent specific signals carrying specific information, such as interrupts, power down control, asynchronous events. Such bundles are sampled at given rates, and depending on them their content is transmitted across the DDCM to the second die.

Signal name	I/O	Timing	Description
bundle_1_tx< bundle_1_tx_size-1:0>	I	N/A	Virtual wires input bundle #1
bundle_2_tx< bundle_2_tx_size-1:0>	I	N/A	Virtual wires input bundle #2
bundle_3_tx< bundle_3_tx_size-1:0>	I	N/A	Virtual wires input bundle #3
bundle_4_tx< bundle_4_tx_size-1:0>	I	N/A	Virtual wires input bundle #4
bundle_5_tx< bundle_5_tx_size-1:0>	I	N/A	Virtual wires input bundle #5

Table 3.8 –DDCM transmitter virtual wires interface

Signal name	I/O	Timing	Description
bundle_1_rx< bundle_1_rx_size-1:0>	O	Early	Virtual wires output bundle #1
bundle_2_rx< bundle_2_rx_size-1:0>	O	Early	Virtual wires output bundle #2
bundle_3_rx< bundle_3_rx_size-1:0>	O	Early	Virtual wires output bundle #3
bundle_4_rx< bundle_4_rx_size-1:0>	O	Early	Virtual wires output bundle #4
bundle_5_rx< bundle_5_rx_size-1:0>	O	Early	Virtual wires output bundle #5

Table 3.9 –DDCM receiver virtual wires interface

Notice that virtual wires inputs are asynchronous, and they are synchronized internally to the DDCM.

Programming

The programming interface consists of a standard STBus type 1 interface allowing to access the internal registers in order to configure the operation of the DDCM, mainly in terms of QoS policy. The configuration of the DDCM registers can be done either during the initialization phase or on-fly, in the sense that the registers specifying the QoS policy can be modified even during the normal operation of the block.

The programming interface is synchronous with the clk_prog clock.

Signal name	I/O	Timing	Description
prog_req	I	Late	Request
prog_eop	I	Late	End of packet

prog_opc<3:0>	I	Late	Operation code
prog_add<7:2>	I	Late	Address
prog_data<31:0>	I	Late	Write data
prog_be<3:0>	I	Late	Byteenables
prog_r_req	O	Early	Response request
prog_r_opc	O	Early	Operation status
prog_r_data<31:0>	O	Early	Read data

Table 3.10 – Programming interface

Security encoder

The security encoder interface consists of a set of inputs representing the masks to be used for the encoding/decoding of the outgoing/incoming flits from/to the DDCM PHY adapter, in order to encrypt them for protection against any hacking.

Signal name	I/O	Timing	Description
phyt_hi_enc_tx<15:0>	I	N/A	Transmitter phyt_hi mask
phyt_lo_enc_tx<15:0>	I	N/A	Transmitter phyt_lo mask
phyt_hi_enc_rx<15:0>	I	N/A	Receiver phyt_hi mask
phyt_lo_enc_rx<15:0>	I	N/A	Receiver phyt_lo mask

Table 3.11 – Security encoder interface

Physical channel

The physical channel interface (PHY) is responsible for the actual transmission of data between dice. According to the layered approach followed by DDCM implementation, the PHY can change case by case according to specific system requirements and technology availability. The PHY interface will then change accordingly.

This section reports the interface of the PHY in case of an optical plasmonics-based physical channel exploiting 4 optical transmission lines.

DDCM transmitter PHY is synchronous with the clk_tx clock.

Signal name	I/O	Timing	Description
tx_phyt<3:0>	O	late	Data to be transmitted
tx_clock	O	late	Transmission clock for synchronization

Table 3.12 – Optical (plasmonic) physical channel transmitter interface

DDCM receiver PHY is instead synchronous with the clk_rx clock.

Signal name	I/O	Timing	Description
rx_phyt<15:0>	I	late	Data to be transmitted
rx_valid	I	late	Data valid signal
rx_clock	I	late	Transmission clock for synchronization

Table 3.13 – Physical channel receiver interface

Notice that while in case of electrical PHY a valid signal is required to synchronize the transmission between transmitter and receiver, in case of optical PHY the valid signal is recovered at destination taking into account the level of the current generated by the photodetector, being able to discriminate between noise and actual signal.

DDCM controller PHY adapter interface

Since, thanks to the layered protocol approach, the DDCM can be implemented with different PHY structures (DCE, SCE, parallel, serial, optical, RF), it's convenient to specify also the PHY adapter interface, even if it is internal to the DDCM.

The interfaces described in the following tables are related to an optical plasmonics-based PHY.

Signal name	I/O	Timing	Description
seg<89:0>	I	Early	DDCM segment coming from layer B
seg_val	I	Early	DDCM segment valid flag (active high)
seg_ack	O	Early	DDCM segment acknowledge (active high)
tx_phyt<3:0>	O	Early	Phyt to be sent by the PHY

Table 3.14 – PHY adapter transmitter interface

Signal name	I/O	Timing	Description
rx_phyt<3:0>	I	Early	Phyt received by the PHY
rx_phyt_valid	I	Early	Signal triggering PHY adapter operation, depending on optical levels detected by PHY receiver
seg<89:0>	O	Early	DDCM segment going to layer B
seg_val	O	Early	DDCM segment valid flag (active high)

Table 3.15 – PHY adapter receiver interface

Timing

The timing of all the DDCM ports depends on the technology used to synthesize the design; as example, the timing to be adopted when using the CMOS technology at 28 nm is defined as follows:

- **Early** means within the 30% of the clock cycle; an early input refers to a signal coming from a register located into a module very close to the DDCM; an early output refers to a signal leaving a register of the DDCM.
- **Late** means within the 60% of the clock cycle; a late input refers to a signal coming from a module placed quite far from the DDCM, so that the delay of the wire crossed by such a signal has an impact on the arrival time to the DDCM input; a late output refers to a signal crossing some combinational logic before leaving the DDCM.
- **Mid** means within the 40% of the clock cycle; a mid input refers to a signal coming from a module placed not far from the DDCM, so that the delay of the wire crossed by such a signal has not a big impact on the arrival time to the DDCM input; a mid output refers to a signal crossing some small combinational logic before leaving the DDCM.
- **N/A** means an input is asynchronous with respect to DDCM clock period.

4 Registers

The DDCM is programmable in terms of some functionalities, in particular layer A (PHY adapter, PHY) operation and routing (virtual channels), through a set of registers. QoS management is also planned to be configurable via registers.

DDCM registers are memory-mapped, and all of them are 32-bits wide and 32 bits-aligned.

The list of registers contained within the optional configuration module of the DDCM is shown in next table in case of a DDCM with N virtual channels.

Address	Name	Description
Base+0x00	PHY_WIDTH	PHY width actually used for transmission
Base+0x04	PHY_MODE	PHY transmission mode (DCE, SCE)
Base+0x08	INIT_1_8_TX_VC_ID	Tx virtual channel – initiator port association (set 1)
Base+0x0C	INIT_9_16_TX_VC_ID	Tx virtual channel – initiator port association (set 2)
Base+0x10	TARG_1_8_TX_VC_ID	Tx virtual channel – target port association (set 1)
Base+0x14	TARG_9_16_TX_VC_ID	Tx virtual channel – target port association (set 2)
Base+0x18	INIT_1_8_RX_FIFO_ID	Rx FIFO – initiator port association (set 1)
Base+0x1C	INIT_9_16_RX_FIFO_ID ²	Rx FIFO – initiator port association (set 2)
Base+0x20	TARG_1_8_RX_FIFO_THRESHOLD	Target rx FIFOs threshold for credits transmission (set 1)
Base+0x24	TARG_9_16_RX_FIFO_THRESHOLD	Target rx FIFOs threshold for credits transmission (set 2)
Base+0x28	INIT_1_8_RX_FIFO_THRESHOLD	Initiator rx FIFOs threshold for credits transmission (set 1)
Base+0x2C	INIT_9_16_RX_FIFO_THRESHOLD	Initiator rx FIFOs threshold for credits transmission (set 2)
Base+0x30	TARG_1_8_CREDIT_TIMEOUT	Target rx FIFOs credit transmission timeout (set 1)
Base+0x34	TARG_9_16_CREDIT_TIMEOUT	Target rx FIFOs credit transmission timeout (set 2)
Base+0x38	INIT_1_8_CREDIT_TIMEOUT	Initiator rx FIFOs credit transmission timeout (set 1)
Base+0x3C	INIT_9_16_CREDIT_TIMEOUT	Initiator rx FIFOs credit transmission timeout (set 2)
Base+0x40	TARG_1_8_RX_FIFO_PRI	Target FIFO priorities in DDCM rx for FC arbiter (set 1)
Base+0x44	TARG_9_16_RX_FIFO_PRI	Target FIFO priorities in DDCM rx

² Registers specifying ports to FIFOs association will be supported by future versions of DDCM

		for FC arbiter (set 2)
Base+0x48	INIT_1_8_RX_FIFO_PRI	Initiator FIFO priorities in DDCM rx for FC arbiter (set 1)
Base+0x4C	INIT_9_16_RX_FIFO_PRI	Initiator FIFO priorities in DDCM rx for FC arbiter (set 2)
Base+0x50	QOS	Enables specific QoS algorithms
Base+0x54	BUNDLE_SIZE	Virtual wires bundles size
Base+0x58	ADCK_EN	Activity driven clock enable for each clock domain
Base+0x5C	BI_TX_BYPASS	BI transmitter bypass enable
Base+0x60	TARG_RX_FIFO_SAF	Target FIFO store and forward enable
Base+0x64	WIRES_SAM_RATE	Virtual wires sampling rate
Base+0x68	DDCM_PHY_FREQ_RATIO	Info on frequency ratio between DDCM and DDCM PHY
Base+0x6C	IPOINT_1_BWL	Bandwidth limiter parameters for initiator port #1
Base+0x70	IPOINT_2_BWL	Bandwidth limiter parameters for initiator port #2
...
Base+0xA4	IPOINT_15_BWL	Bandwidth limiter parameters for initiator port #15
Base+0xA8	IPOINT_16_BWL	Bandwidth limiter parameters for initiator port #16
Base+0xAC	PHY_DEBUG_MODE	PHY input selector in debug mode
Base+0xB0	INIT_1_8_TX_VC_PRI	Initiator tx virtual channel priorities (set 1)
Base+0xB4	INIT_9_16_TX_VC_PRI	Initiator tx virtual channel priorities (set 2)
Base+0xB8	TARG_1_8_TX_VC_PRI	Target tx virtual channel priorities (set 1)
Base+0xBC	TARG_9_16_TX_VC_PRI	Target tx virtual channel priorities (set 2)

Table 4-1 – DDCM registers

The PHY_WIDTH, PHY_MODE, and BI_TX_BYPASS registers are used only in case of electrical PHY; they must be considered as *reserved* in DDCM with optical plasmonic PHY.

The following tables show in detail the structure and the meaning of each register. Notice that “*not used*” means that FFs are not physically present, while “*reserved*” means the FFs are present but their meaning is not defined at the moment. In both cases, write operations have no effect while read operations return ‘0’.

Name	Address	Bits	Description
PHY_WIDTH	Base+0x00	<0>	Specify the DDCM transmitter PHY interface data (phyt) size 0 : 16 bits 1 : 8 bits

		<1>	Specify the DDCM receiver PHY interface data (phyt) size 0 : 16 bits 1 : 8 bits
		<31:2>	Not used

Table 4-2 – PHY_WIDTH register structure

Name	Address	Bits	Description
PHY_MODE	Base+0x04	<0>	Specify the PHY operation mode 0 : Dual Clock Edge (DCE) 1 : Single Clock Edge (SCE)
		<31:1>	Not used

Table 4-3 – PHY_MODE register structure

Name	Address	Bits	Description
INIT_1_8_TX_VC_ID	Base+0x08	<3:0>	Specify the ID of the VC connected to initiator port #1
		<7:4>	Specify the ID of the VC connected to initiator port #2
	
		<31:28>	Specify the ID of the VC connected to initiator port #8

Table 4-4–INIT_1_8_TX_VC_ID register structure

Name	Address	Bits	Description
INIT_9_16_TX_VC_ID	Base+0x0C	<3:0>	Specify the ID of the VC connected to initiator port #9
		<7:4>	Specify the ID of the VC connected to initiator port #10
	
		<31:28>	Specify the ID of the VC connected to initiator port #16

Table 4-5– INIT_9_16_TX_VC_ID register structure

Name	Address	Bits	Description
TARG_1_8_TX_VC_ID	Base+0x10	<3:0>	Specify the ID of the VC connected to target port #1
		<7:4>	Specify the ID of the VC connected to target port #2
	
		<31:28>	Specify the ID of the VC connected to target port #8

Table 4-6–TARG_1_8_TX_VC_ID register structure

Name	Address	Bits	Description
TARG_9_16_TX_VC_ID	Base+0x14	<3:0>	Specify the ID of the VC connected to target port #9
		<7:4>	Specify the ID of the VC connected to target port #10
	
		<31:28>	Specify the ID of the VC connected to target port #16

Table 4-7– TARG_9_16_TX_VC_ID register structure

Name	Address	Bits	Description
INIT_1_8_RX_FIFO_ID	Base+0x18	<3:0>	Specify the ID of the FIFO connected to initiator port #1
		<7:4>	Specify the ID of the FIFO connected to initiator port #2
	
		<31:28>	Specify the ID of the FIFO connected to initiator port #8

Table 4-8–INIT_1_8_RX_FIFO_ID register structure

Name	Address	Bits	Description
INIT_9_16_RX_FIFO_ID	Base+0x1C	<3:0>	Specify the ID of the FIFO connected to initiator port #9
		<7:4>	Specify the ID of the FIFO connected to initiator port #10
	
		<31:28>	Specify the ID of the FIFO connected to initiator port #16

Table 4-9– INIT_9_16_RX_FIFO_ID register structure

Name	Address	Bits	Description
TARG_1_8_RX_FIFO_THRESHOLD	Base+0x20	<2:0>	Threshold for credit information transmission from target FIFO #1 in DDCM receiver 0 : 1 cell n : 2 ⁿ cells (0 < n < 5) 6 : half FIFO

			7 : whole FIFO
		<5:3>	Threshold for credit information transmission from target FIFO #2 in DDCM receiver
		<8:6>	Threshold for credit information transmission from target FIFO #3 in DDCM receiver
		<11:9>	Threshold for credit information transmission from target FIFO #4 in DDCM receiver
		<14:12>	Threshold for credit information transmission from target FIFO #5 in DDCM receiver
		<17:15>	Threshold for credit information transmission from target FIFO #6 in DDCM receiver
		<20:18>	Threshold for credit information transmission from target FIFO #7 in DDCM receiver
		<23:21>	Threshold for credit information transmission from target FIFO #8 in DDCM receiver
		<31:24>	Not used

Table 4-10– TARG_1_8_RX_FIFO_THRESHOLD register structure

Name	Address	Bits	Description
TARG_2_16_RX_FIFO_THRESHOLD	Base+0x24	<2:0>	Threshold for credit information transmission from target FIFO #9 in DDCM receiver 0 : 1 cell n : 2 ⁿ cells (0 < n < 5) 6 : half FIFO 7 : whole FIFO
		<5:3>	Threshold for credit information transmission from target FIFO #10 in DDCM receiver
		<8:6>	Threshold for credit information transmission from target FIFO #11 in DDCM receiver
		<11:9>	Threshold for credit information transmission from target FIFO #12 in DDCM receiver
		<14:12>	Threshold for credit information transmission from target FIFO #13 in DDCM receiver

		<17:15>	Threshold for credit information transmission from target FIFO #14 in DDCM receiver
		<20:18>	Threshold for credit information transmission from target FIFO #15 in DDCM receiver
		<23:21>	Threshold for credit information transmission from target FIFO #16 in DDCM receiver
		<31:24>	Not used

Table 4-11– TARG_9_16_RX_FIFO_THRESHOLD register structure

Name	Address	Bits	Description
INIT_1_8_RX_FIFO_THRESHOLD	Base+0x28	<2:0>	Threshold for credit information transmission from initiator FIFO #1 in DDCM receiver 0 : 1 cell n : 2 ⁿ cells (0 < n < 5) 6 : half FIFO 7 : whole FIFO
		<5:3>	Threshold for credit information transmission from initiator FIFO #2 in DDCM receiver
		<8:6>	Threshold for credit information transmission from initiator FIFO #3 in DDCM receiver
		<11:9>	Threshold for credit information transmission from initiator FIFO #4 in DDCM receiver
		<14:12>	Threshold for credit information transmission from initiator FIFO #5 in DDCM receiver
		<17:15>	Threshold for credit information transmission from initiator FIFO #6 in DDCM receiver
		<20:18>	Threshold for credit information transmission from initiator FIFO #7 in DDCM receiver
		<23:21>	Threshold for credit information transmission from initiator FIFO #8 in DDCM receiver
		<31:24>	Not used

Table 4-12– INIT_1_8_RX_FIFO_THRESHOLD register structure

Name	Address	Bits	Description
INIT_9_16_RX_FIFO_THRESHOLD	Base+0x2C	<2:0>	Threshold for credit information transmission from initiator FIFO #9 in DDCM receiver 0 : 1 cell n : 2 ⁿ cells (0 < n < 5) 6 : half FIFO 7 : whole FIFO
		<5:3>	Threshold for credit information transmission from initiator FIFO #10 in DDCM receiver
		<8:6>	Threshold for credit information transmission from initiator FIFO #11 in DDCM receiver
		<11:9>	Threshold for credit information transmission from initiator FIFO #12 in DDCM receiver
		<14:12>	Threshold for credit information transmission from initiator FIFO #13 in DDCM receiver
		<17:15>	Threshold for credit information transmission from initiator FIFO #14 in DDCM receiver
		<20:18>	Threshold for credit information transmission from initiator FIFO #15 in DDCM receiver
		<23:21>	Threshold for credit information transmission from initiator FIFO #16 in DDCM receiver
		<31:24>	Not used

Table 4-13– INIT_9_16_RX_FIFO_THRESHOLD register structure

Name	Address	Bits	Description
TARG_1_8_CREDIT_TIMEOUT	Base+0x30	<2:0>	Specifies the credits timeout for target #1 FIFO "000" : 4 cycles "001" : 8 cycles "010" : 16 cycles "011" : 32 cycles "100" : 64 cycles "101" : 128 cycles "110" : 256 cycles

			"111" : 512 cycles
		<5:3>	Specifies the credits timeout for target #2 FIFO
		<8:6>	Specifies the credits timeout for target #3 FIFO
		<11:9>	Specifies the credits timeout for target #4 FIFO
		<14:12>	Specifies the credits timeout for target #5 FIFO
		<17:15>	Specifies the credits timeout for target #6 FIFO
		<20:18>	Specifies the credits timeout for target #7 FIFO
		<23:21>	Specifies the credits timeout for target #8 FIFO
		<31:24>	Not used

Table 4-14– TARG_1_8_CREDIT_TIMEOUT register structure

Name	Address	Bits	Description
TARG_9_16_CREDIT_TIMEOUT	Base+0x34	<2:0>	Specifies the credits timeout for target #9 FIFO "000" : 4 cycles "001" : 8 cycles "010" : 16 cycles "011" : 32 cycles "100" : 64 cycles "101" : 128 cycles "110" : 256 cycles "111" : 512 cycles
		<5:3>	Specifies the credits timeout for target #10 FIFO
		<8:6>	Specifies the credits timeout for target #11 FIFO
		<11:9>	Specifies the credits timeout for target #12 FIFO
		<14:12>	Specifies the credits timeout for target #13 FIFO
		<17:15>	Specifies the credits timeout for target #14 FIFO
		<20:18>	Specifies the credits timeout for target #15 FIFO

		<23:21>	Specifies the credits timeout for target #16 FIFO
		<31:24>	Not used

Table 4-15– TARG_9_16_CREDIT_TIMEOUT register structure

Name	Address	Bits	Description
INIT_1_8_CREDIT_TIMEOUT	Base+0x38	<2:0>	Specifies the credits timeout for initiator FIFO #1 "000" : 4 cycles "001" : 8 cycles "010" : 16 cycles "011" : 32 cycles "100" : 64 cycles "101" : 128 cycles "110" : 256 cycles "111" : 512 cycles
		<5:3>	Specifies the credits timeout for initiator FIFO #2
		<8:6>	Specifies the credits timeout for initiator FIFO #3
		<11:9>	Specifies the credits timeout for initiator FIFO #4
		<14:12>	Specifies the credits timeout for initiator FIFO #5
		<17:15>	Specifies the credits timeout for initiator FIFO #6
		<20:18>	Specifies the credits timeout for initiator FIFO #7
		<23:21>	Specifies the credits timeout for initiator FIFO #8
		<31:24>	Not used

Table 4-16– INIT_1_8_CREDIT_TIMEOUT register structure

Name	Address	Bits	Description
INIT_9_16_CREDIT_TIMEOUT	Base+0x3C	<2:0>	Specifies the credits timeout for initiator FIFO #9 "000" : 4 cycles "001" : 8 cycles "010" : 16 cycles

			"011" : 32 cycles "100" : 64 cycles "101" : 128 cycles "110" : 256 cycles "111" : 512 cycles
		<5:3>	Specifies the credits timeout for initiator FIFO #10
		<8:6>	Specifies the credits timeout for initiator FIFO #11
		<11:9>	Specifies the credits timeout for initiator FIFO #12
		<14:12>	Specifies the credits timeout for initiator FIFO #13
		<17:15>	Specifies the credits timeout for initiator FIFO #14
		<20:18>	Specifies the credits timeout for initiator FIFO #15
		<23:21>	Specifies the credits timeout for initiator FIFO #16
		<31:24>	Not used

Table 4-17– INIT_9_16_CREDIT_TIMEOUT register structure

Name	Address	Bits	Description
TARG_1_8_RX_FIFO_PRI	Base+0x40	<3:0>	Specifies the priority of target #1 FIFO for flow control arbiter (0 : lowest priority, 15 : highest priority)
		<7:4>	Specifies the priority of target #2 FIFO for flow control arbiter
		<11:8>	Specifies the priority of target #3 FIFO for flow control arbiter
		<15:12>	Specifies the priority of target #4 FIFO for flow control arbiter
		<19:16>	Specifies the priority of target #5 FIFO for flow control arbiter
		<23:20>	Specifies the priority of target #6 FIFO for flow control arbiter
		<27:24>	Specifies the priority of target #7 FIFO for flow control arbiter
		<31:28>	Specifies the priority of target #8 FIFO for flow control arbiter

Table 4-18–TARG_1_8_PRI register structure

Name	Address	Bits	Description
TARG_9_16_RX_FIFO_PRI	Base+0x44	<3:0>	Specifies the priority of target #9 FIFO for flow control arbiter (0 : lowest priority, 15 : highest priority)
		<7:4>	Specifies the priority of target #10 FIFO for flow control arbiter
		<11:8>	Specifies the priority of target #11 FIFO for flow control arbiter
		<15:12>	Specifies the priority of target #12 FIFO for flow control arbiter
		<19:16>	Specifies the priority of target #13 FIFO for flow control arbiter
		<23:20>	Specifies the priority of target #14 FIFO for flow control arbiter
		<27:24>	Specifies the priority of target #15 FIFO for flow control arbiter
		<31:28>	Specifies the priority of target #16 FIFO for flow control arbiter

Table 4-19–TARG_9_16_PRI register structure

Name	Address	Bits	Description
INIT_1_8_RX_FIFO_PRI	Base+0x48	<3:0>	Specifies the priority of target #1 FIFO for flow control arbiter (0 : lowest priority, 15 : highest priority)
		<7:4>	Specifies the priority of target #2 FIFO for flow control arbiter
		<11:8>	Specifies the priority of target #3 FIFO for flow control arbiter
		<15:12>	Specifies the priority of target #4 FIFO for flow control arbiter
		<19:16>	Specifies the priority of target #5 FIFO for flow control arbiter
		<23:20>	Specifies the priority of target #6 FIFO for flow control arbiter
		<27:24>	Specifies the priority of target #7 FIFO for flow control arbiter
		<31:28>	Specifies the priority of target #8 FIFO for flow control arbiter

Table 4-20–INIT_1_8_PRI register structure

Name	Address	Bits	Description
INIT_9_16_RX_FIFO_PRI	Base+0x4C	<3:0>	Specifies the priority of target #9 FIFO for flow control arbiter (0 : lowest priority, 15 : highest priority)

		<7:4>	Specifies the priority of target #10 FIFO for flow control arbiter
		<11:8>	Specifies the priority of target #11 FIFO for flow control arbiter
		<15:12>	Specifies the priority of target #12 FIFO for flow control arbiter
		<19:16>	Specifies the priority of target #13 FIFO for flow control arbiter
		<23:20>	Specifies the priority of target #14 FIFO for flow control arbiter
		<27:24>	Specifies the priority of target #15 FIFO for flow control arbiter
		<31:28>	Specifies the priority of target #16 FIFO for flow control arbiter

Table 4-21–INIT_9_16_PRI register structure

Name	Address	Bits	Description
QOS	Base+0x50	<0>	Specifies if LRA arbitration scheme is used '0' => Bandwidth limiters are used '1' => LRA scheme is used
		<31:1>	Reserved

Table 4-22– QOS register structure

Name	Address	Bits	Description
BUNDLE_SIZE	Base+0x54	<5:0>	Size of virtual wires bundle #1 "000000" : 0 (no wires) "000001" : 4 wires "000010" : 5 wires "000011" : 11 wires "000100" : 18 wires "000101" : 20 wires "000110" : 25 wires "000111" : 32 wires "001000" : 35 wires "001001" : 39 wires "001010" : 46 wires "001011" : 50 wires

			"001100" : 53 wires "001101" : 60 wires "001110" : 65 wires "001111" : 67 wires "010000" : 74 wires "010001" : 80 wires "111111" : all the existing wires (bundle_1 size)
		<11:6>	Size of virtual wires bundle #2
		<17:12>	Size of virtual wires bundle #3
		<23:18>	Size of virtual wires bundle #4
		<29:24>	Size of virtual wires bundle #5
		<31:30>	Not used

Table 4-23– BUNDLE_SIZE register structure

Name	Address	Bits	Description
ADCKEN	Base+0x58	<5:0>	Specifies how many clock cycles (1 to 63) have to elaps in the PHY clock domain after the last phyt has been sent by the PHY adapater before issuing the command to deassert the PHY clock. When 0 it means Activity Driven Clock Gating is not enabled.
		<31:6>	Not used

Table 4-24– ADCKEN register structure

Name	Address	Bits	Description
BI_TX_BYPASS	Base+0x5C	<0>	Specifies whether the BI transmitter has to be bypassed for debugging reasons or not 0 : BI Tx is active 1 : BI Tx is bypassed
		<31:1>	Not used

Table 4-25– BI_TX_BYPASS register structure

Name	Address	Bits	Description
------	---------	------	-------------

TARG_FIFO_SAF	Base+0x60	<0>	Enables store and forward policy for target FIFO #1 0 : store and forward policy inactive 1 : store and forward policy active
		<1>	Enables store and forward policy for target FIFO #2
		<i>	Enables store and forward policy for target FIFO #i (2 < i < 15)
		<15>	Enables store and forward policy for target FIFO #16
		<31:16>	Not used

Table 4-26– ADCKEN register structure

Name	Address	Bits	Description
WIRES_SAM_RATE	Base+0x64	<5:0>	Virtual wires bundle 1 sample rate 0 : every cycle 1 : every 2 cycles 2 : every 4 cycles 3 : every 8 cycles ... 10 : every 1024 cycles 11 - 63 : reserved
		<11:6>	Virtual wires bundle 2 sample rate
		<17:12>	Virtual wires bundle 3 sample rate
		<23:18>	Virtual wires bundle 4 sample rate
		<29:24>	Virtual wires bundle 5 sample rate
		<31:30>	Not used

Table 4-27– WIRES_SAM_RATE register structure

Name	Address	Bits	Description
DDCM_PHY_FREQ_RATIO	Base+0x68	<0>	Specifies the frequency ratio between DDCM clock and PHY clock 0 : f(DDCM) < f(PHY) 266 MHz vs 400/450 MHz 300 MHz vs 400/450 MHz 333 MHz vs 400/450 MHz 400 MHz vs 450 MHz 1 : f(DDCM) >= f(PHY) 450 MHz vs 400/450 MHz

			400 MHz vs 400 MHz
		<31:1>	Not used

Table 4-28– DDCM_PHY_FREQ_RATIO register structure

Name	Address	Bits	Description
IPOINT_1_BWL	Base+0x6C	<0>	Enables bandwidth limiter
		<4:1>	Low priority (when the initiator has to be limited)
		<12:5>	Time window where the bandwidth has to be consumed
		<16:13>	Fixed value for segment counter decrease
		<20:17>	Thresholds (expressed in number of DDCM segments)
		<28:21>	Maximum segment counter value
		<31:29>	Not used

Table 4-29– IPOINT_1_BWL register structure

Name	Address	Bits	Description
IPOINT_16_BWL	Base+0xA8	<0>	Enables bandwidth limiter
		<4:1>	Low priority (when the initiator has to be limited)
		<12:5>	Time window where the bandwidth has to be consumed
		<16:13>	Fixed value for segment counter decrease
		<20:17>	Thresholds (expressed in number of DDCM segments)
		<28:21>	Maximum segment counter value
		<31:29>	Not used

Table 4-30– IPOINT_16_BWL register structure

Name	Address	Bits	Description
PHY_DEBUG_MODE	Base+0xAC	<1:0>	Specify the PHY data source in debug mode "00" : DDCM "01" : reserved "10" : pattern generator "11" : loopback FIFO
		<31:2>	Not used

Table 4-31– PHY_DEBUG_MODE register structure

Name	Address	Bits	Description
------	---------	------	-------------

INIT_1_8_TX_VC_PRI	Base+0xB0	<3:0>	Specifies the priority of initiator #1 VC for QoS arbiter (0 : lowest priority, 15 : highest priority)
		<7:4>	Specifies the priority of initiator #2 VC for QoS arbiter
		<11:8>	Specifies the priority of initiator #3 VC for QoS arbiter
		<15:12>	Specifies the priority of initiator #4 VC for QoS arbiter
		<19:16>	Specifies the priority of initiator #5 VC for QoS arbiter
		<23:20>	Specifies the priority of initiator #6 VC for QoS arbiter
		<27:24>	Specifies the priority of initiator #7 VC for QoS arbiter
		<31:28>	Specifies the priority of initiator #8 VC for QoS arbiter

Table 4-32–INIT_1_8_TX_VC_PRI register structure

Name	Address	Bits	Description
INIT_9_16_TX_VC_PRI	Base+0xB4	<3:0>	Specifies the priority of initiator #9 VC for QoS arbiter (0 : lowest priority, 15 : highest priority)
		<7:4>	Specifies the priority of initiator #10 VC for QoS arbiter
		<11:8>	Specifies the priority of initiator #11 VC for QoS arbiter
		<15:12>	Specifies the priority of initiator #12 VC for QoS arbiter
		<19:16>	Specifies the priority of initiator #13 VC for QoS arbiter
		<23:20>	Specifies the priority of initiator #14 VC for QoS arbiter
		<27:24>	Specifies the priority of initiator #15 VC for QoS arbiter
		<31:28>	Specifies the priority of initiator #16 VC for QoS arbiter

Table 4-33–INIT_9_16_TX_VC_PRI register structure

Name	Address	Bits	Description
TARG_1_8_TX_VC_PRI	Base+0xB8	<3:0>	Specifies the priority of target #1 VC for QoS arbiter (0 : lowest priority, 15 : highest priority)
		<7:4>	Specifies the priority of target #2 VC

			for QoS arbiter
		<11:8>	Specifies the priority of target #3 VC for QoS arbiter
		<15:12>	Specifies the priority of target #4 VC for QoS arbiter
		<19:16>	Specifies the priority of target #5 VC for QoS arbiter
		<23:20>	Specifies the priority of target #6 VC for QoS arbiter
		<27:24>	Specifies the priority of target #7 VC for QoS arbiter
		<31:28>	Specifies the priority of target #8 VC for QoS arbiter

Table 4-34–TARG_1_8_TX_VC_PRI register structure

Name	Address	Bits	Description
TARG_9_16_TX_VC_PRI	Base+0xBC	<3:0>	Specifies the priority of target #9 VC for QoS arbiter (0 : lowest priority, 15 : highest priority)
		<7:4>	Specifies the priority of target #10 VC for QoS arbiter
		<11:8>	Specifies the priority of target #11 VC for QoS arbiter
		<15:12>	Specifies the priority of target #12 VC for QoS arbiter
		<19:16>	Specifies the priority of target #13 VC for QoS arbiter
		<23:20>	Specifies the priority of target #14 VC for QoS arbiter
		<27:24>	Specifies the priority of target #15 VC for QoS arbiter
		<31:28>	Specifies the priority of target #16 VC for QoS arbiter

Table 4-35–TARG_9_16_TX_VC_PRI register structure

Registers access path

This subsection highlights the path followed by programming traffic to access registers of the different DDCM modules of a SiP.

Two different contexts can be individuated:

- the registers to be programmed are within the DDCM module in the same die where the CPU is;
- the registers to be programmed are within the DDCM Module in the other die, where there is no CPU.

Figure 4.1 shows the two different situations.




Figure 4-1: DDCM registers access paths

If registers to be programmed are in the same die of the CPU, the CPU programming traffic crosses the local interconnect, through the type 1 peripheral subsystem, and reaches the DDCM type 1 programming port (continuous red arrow). Such a port implements full STBus type 1 protocol, including support for byteenables and 1/2/4/8 bytes operations.

If registers to be programmed are in the other die, the CPU traffic crosses the DDCM module of the first die, reaches the DDCM module of the second die, from which it's routed to the local interconnect of the second die, and after crossing the local peripheral subsystem, it reaches the type 1 port of the DDCM module in the second die (blue arrow).

Registers in the second die could be accessed also through an internal path, i.e. CPU reaches the programming port of the DDCM module in die #1, then if registers addresses are related to registers of the DDCM module in die #2, this can be detected internally and registers

configuration commands can be sent directly to the DDCM module in die #2 (dashed red arrow). This second programming option has been deeply evaluated and because of its complexity it will not be implemented.

Notice that the programming logic will implement a mechanism allowing to program DDCM registers in a safe way, meaning that the actual writing of a registers will be prevented if there are transactions in progress across the DDCM, and the programming of the register can impact the safe completion of the operations in progress. Typical registers that can lead to such an issue are the ones containing the threshold values for the credit-based flow control.

5 Architecture

As shown in figure 5.1, the DDCM top level in each die consists of a transmitter (DDCM Tx) and a receiver (DDCM Rx).

In such a figure it's possible to see the two information flows supported by a complete DDCM architecture, i.e.

- requests from STNoC/STBus/AMBA-AXI initiators in chip 1 to STNoC/STBus/AMBA-AXI targets in chip 2, responses from STNoC/STBus/AMBA-AXI targets in chip 2 to STNoC/STBus/AMBA-AXI initiators in chip 1, virtual wires from chip 1 to chip 2 (continuous lines);
- requests from STNoC/STBus/AMBA-AXI initiators in chip 2 to STNoC/STBus/AMBA-AXI targets in chip 1, responses from STNoC/STBus/AMBA-AXI targets in chip 1 to STNoC/STBus/AMBA-AXI initiators in chip 2, virtual wires from chip 2 to chip 1 (dotted lines).




Figure 5-1: DDCM top level architecture and information flow

The DDCM transmitter (DDCM Tx) is responsible for

- receiving requests from STNoC/STBus/AMBA-AXI initiators in the same die and sending them to STNoC/STBus/AMBA-AXI targets in the other die;

- receiving responses from STNoC/STBus/AMBA-AXI targets in the same die and sending them to STNoC/STBus/AMBA-AXI initiators in the other die;
- sampling ancillary signals (virtual wires) generated in the same die at a specified rate and sending samples to the other die.

The DDCM receiver (DDCM Rx) is responsible for

- receiving requests from STNoC/STBus/AMBA-AXI initiators in the other die and sending them to STNoC/STBus/AMBA-AXI targets in the same die;
- receiving responses from STNoC/STBus/AMBA-AXI targets in the other die and sending them to STNoC/STBus/AMBA-AXI initiators in the same die;
- receiving ancillary signals samples generated in the other die and sending them to the proper destination in the same die.

Figure 5-2 shows a full architectural view of an DDCM, highlighting the separation between an DDCM transmitter and an DDCM receiver.




Figure 5-2: DDCM detailed architecture

Figure 5-3 shows the architecture of the DDCM highlighting the connections with initiators and targets across an STNoC interconnect. In this picture it's possible to see clearly how request and response traffic streams flow.




Figure 5-3: DDCM detailed architecture highlighting traffic streams flows

Figure 5-4 shows the connection and the traffic streams flows between two dice, highlighting the two DDCMs architectures and their crossing. Specifically, the orange line represents the request traffic stream flowing from initiator 1 in die #1 towards target 2 in die #2, while the yellow line represents the response traffic stream flowing from target 2 in die #2 towards initiator 1 in die #1.




Figure 5-4 : Traffic streams flows between two dice

Next section describes in detail all the DDCM building-blocks.

6 Building-blocks

In this section all the DDCM building-blocks are described.

Transmitter

The DDCM transmitter performs the following functions:


- Buffering of STNoC, STBus, AMBA AXI traffic;
- Sampling of virtual wires
- STNoC, STBus, AMBA AXI traffic size conversion when required
- Frequency conversion when required
- STNoC, STBus, AMBA AXI traffic and virtual wires encapsulation within IDN segments
- Credit-based flow control
- IDN segments QoS management
- IDN segments serialization
- Phyts encryption when enabled
- Phyts transmission as optical signals exploiting the plasmonic components

Request Input Channel

The Request Input Channel (ReqIC) deals with STNoC request traffic generated either by an STNoC upstream interface, or by an STBus or an AMBA AXI initiator Network Interface.

It is divided in three main parts:

- **Kernel**, responsible for buffering the incoming STNoC request traffic and performing flit size conversion when required;
- **FIFOs** (header FIFO and payload FIFO), where STNoC request information is stored and performing frequency conversion when required;
- **Shell**, responsible for encapsulating the STNoC requests into IDN segments by generating a proper IDN header.




6-1: Input channel generic structure

The IC kernel in turn is composed of the following building-blocks:

- **downstream interface (DS)** responsible for collecting STNoC flits and auxiliary signals from STNoC interface;
- **input FSM (IFSM)** responsible for discriminating between header and payload flits and storing them in the respective FIFOs.


The IC shell in turn is composed of the following building-blocks:

- **link scheduler (LS)** responsible for reading header or payload FIFO depending on incoming traffic shape;
- **upstream interface (US)** responsible for propagating the proper flit and its associated signals;
- **encapsulation module (Encap)** responsible for generating the IDN header and encapsulating the STNoC flits and auxiliary signals within IDN segments; here, since the network layer header is related to the local network topology, only the STNoC transport layer header is encapsulated and propagated across the physical channel, while the network layer header is cut.



6-2: Input channel micro-architecture

The encapsulation module of the Request Input Channel, dealing with STNoC requests, has the function of generating the IDN header and to add it to the STNoC flit and auxiliary signals, so to build the IDN segment to be serialized and propagated across the physical channel.



6-3: Request IC encapsulation module function

Table 6.1 shows the IDN header structure.

Field name	Size	Bits	Description
IC ID	6	<5:0>	Input Channel identifier
Type	2	<7:6>	IDN segment type (STNoC, virtual wires, credit)
Segment ID	2	<9:8>	IDN segment identifier (first, last, intermediate)

Table 6.1 – IDN header structure

The meaning of the header fields is detailed in the following.

- **IC ID** is the identifier of the input channel where the information to be transmitted (both STNoC transactions and virtual wires) comes from; marking segments with the IC ID is key for allowing segments interleaving. If the segment is related to virtual wires (type = “01”), bits <2:0> of the IC ID field represents the number of phyts required to transport the virtual wires information (“---000” = 1 phyt, “---001” = 2 phyts, “---010” = 3 phyts, “---011” = 4 phyts, “---100” = 5 phyts, “---101” = 6 phyts), while bit <5> tells whether the transmitted bundle is the fifth one.
- **Type** allows the DDCM receiver to understand if the segment belongs to an STNoC transaction (“00”) or to virtual wires (“01”), in which case it is forwarded to the corresponding OC, or if it carries credit information (“10”), in which case it is sent to the associated DDCM transmitter for computing the new credits value.
- **Segment ID** specifies if the segment is the first (“01”), the last (“10”) or an intermediate one (“00”) for the transmitted transaction; this information is important for the correct reconstruction of the transaction at destination. If the segment is related to virtual wires (type = “01”), the segment ID field assumes the meaning of the virtual wires bundle identifier (“00” = bundle 0, “01” = bundle 1, “10” = bundle 2, “11” = bundle 3). If the segment is related to credits information, the segment ID field represents the number of phyts required to transport the credit information (“00” = 1 phyt, “01” = 2 phyts, “10” = 3 phyts, “11” = 4 phyts).

Response Input Channel


The Response Input Channel (ResIC) deals with STNoC response traffic generated either by an STNoC upstream interface, or by an STBus or an AMBA AXI target Network Interface.

It is divided in three main parts:

- **Kernel**, responsible for buffering the incoming STNoC response traffic and performing flit size conversion when required;
- **FIFOs** (header FIFO and payload FIFO), where STNoC response information is stored and performing frequency conversion when required;
- **Shell**, responsible for encapsulating the STNoC responses into IDN segments by generating a proper IDN header.

Kernel and Shell structure of the ResIC are the same of the ReqIC.

The encapsulation module of the Response Input Channel, dealing with STNoC responses, has the function of performing the inverse src remapping, generating the IDN header and to add it to the STNoC flit and auxiliary signals, so to build the IDN segment to be serialized and propagated across the physical channel.



6-4: Response IC encapsulation module function

Virtual Wires Input Channel

The Virtual Wires Input Channel (VWIC) deals with asynchronous signals not following any standard protocol, such as interrupts, power down handshake, etc.

The Virtual Wires IC interface can be up to 400 bits wide and is organized as a set of 5 bundles, each up to 80-bits wide. However for the input port it's possible to specify how many wires out of the existing ones are meaningful, through a dedicated register; this possibility allows to reuse the same DDCM VWIC block in different systems, where the number of virtual wires is different.

In order to transmit virtual wires information virtual wires bundles are sampled periodically, at a rate specified in the related configuration register, and the sampled values are stored into the proper section of the VWIC, whose elements are also up to 400 bits wide and are split into 5 bundles up to 80-bits wide, in order to be transmitted across the die-to-die channel as a set of 5 segments; each bundle is marked by a proper identifier to allow the correct reconstruction of virtual wires information at destination.

Notice that, due to their intrinsic asynchronous nature, virtual wires are properly synchronized in DDCM clock domain by a proper number of synchronization FFs.

In order to avoid to transmit twice or more the same information, if two back-to-back virtual wires bundles samples are equal, the second one is not transmitted again, since this means no new events to be transmitted have occurred. According to that, when the sampling rate is chosen equal to the DDCM clock frequency, the transmission of virtual wires information follows actually a on-event approach, i.e. as soon as at least one wire changes its state from '0' to '1' the port configuration is stored into the FIFO.




Figure 6-5 –Virtual Wires IC port bundle sampling

If programmed bundles sampling rates are such that more bundles have to be transmitted simultaneously, a proper arbitration is performed in order to select the bundle that can be transmitted, the others waiting for their turn, as shown in figure 7-6. Bundles priorities are simply determined by bundle index, i.e. bundle 1 has the highest priority, bundle 5 has the lowest.




Figure 6-6 - Virtual wires bundles arbitration

The number of phys required to transmit the virtual wires bundle information is transported in the IC ID field of the IDN segment header; this is required because, while all the STNoC segments have a fixed size, the virtual wires bundles segments have a different size, linked to the number of bits used in each bundle. With this approach the same information can be transported in case of physical channels of different width.

Finally, it's important to highlight that only **level signals** are supported as virtual wires, while **pulses** are not supported, since they would be lost either if their period was lower than the virtual wires sampling period, or if, even having a period greater the sampling period, the related virtual wires bundles lost the arbitration for a time long enough to make the pulse to disappear.

Credits Input Channel

The Credits Input Channel (CIC) deals with the credit information coming from the DDCM receiver, related to the segment FIFOs of the OCs.

Flow Control and QoS

The Flow Control and QoS modules performs arbitration between the IDN segments generated by the different Input Channels, according to the selected QoS policy, taking into account the numer of credits available for each IC. If an IC has no credits available, it won't be arbitrated, so

that at the end the winner of the arbitration will be an IC sure to see its segment propagated to the other die across the physical channel.

Arbitration schemes

The QoS module supports three different arbitration schemes:

- Priority-based
- Priority-based with bandwidth limitation
- LRA (Less Recently Arrived)

The required arbitration scheme can be programmed via software properly setting the dedicated registers (see section 8).

Priority-based

The simplest arbitration scheme supported by the QoS module is based on priority, expressed through a 4 bits value. Provided that credits have always the highest priority, followed by virtual wires, for all the STNoC ICs it's possible to program their priorities so to follow a specific criterion for segment arbitration; STNoC ICs priorities are stored in dedicated DDCM registers and are propagated to the arbiter in the QoS module. Notice that in case of equal priority values, the winner of the arbitration will be determined according to a *positional* approach so as in STBus node arbiters.

Priority-based arbitration scheme is the default one in DDCM QoS module.

Priority-based with bandwidth limitation

With this arbitration scheme the initiators are arbitrated according to their priority, but when they consume the bandwidth programmed for them within a specific time window, their priority is lowered, so to allow other initiators normally having lower priorities to win the arbitration.

In order to enable bandwidth limitation in DDCM QoS module, bandwidth limiters have to be activated and configured via the proper registers.

LRA (Less Recently Arrived)

This arbitration scheme allows to take into account the time at which an initiator has issued its request, so to be privileged in case of arbitration with other initiators issuing their requests later.

PHY Adapter

The PHY adapter transmitter transforms DDCM segments into a format suitable for being propagated across the physical channel; in particular this block is responsible for segment serialization for exploiting the narrower physical channel, and channel encoding for reducing dynamic power consumption.

The output of the PHY adapter is the input of the PHY, responsible for actual transmission across the physical channel.

Notice that, during the PHY test phase, the input of the PHY does not come from the PHY adapter anymore, but rather from external test sources, i.e. the pattern generator, according to the test interface described in table 6.2.

The PHY adapter transmitter is composed of a number of digital blocks and some analog blocks. Figure 6-7 shows all the PHY adapter transmitter building blocks together with the PHY building-blocks, so as they will be implemented in the project demonstrator (digital modules onto FPGA, analog blocks on a dedicated board).




Figure 6-7 – DDCM transmitter layer A building-blocks

Digital blocks

The PHY adapter transmitter digital blocks are the bi-synchronous FIFO, the encoders for power consumption reduction and the serializer.

Bi-synchronous FIFO

The bi-synchronous FIFO plays the twofold role of storage buffer, where incoming data are stored before being processed for transmission, and retiming stage, breaking critical paths between data sources and off-chip transmitter.

Data are stored into the FIFO at the speed of the digital system, and are taken from the FIFO at the speed of the off-chip transmitter.




Figure 6-8 : Bi-synchronous FIFO micro-architecture

Optical Bus Inverter Encoder

The Optical Bus Inverter (OBI) Encoder aims at minimizing the number of ‘1’ in the data word to be transmitted, in order to minimize the number of emitters turned-on.

The algorithm implemented by this block consists in counting the number of ‘1’ in the data word, and inverting the data itself if such a number is greater than half data size; in case of inversion a specific flag (inv) is set.




Figure 6-9 : Optical Bus Inverter Encoder microarchitecture

Serializer

The serializer performs the segmentation of the incoming data according to the selected output data size.

It is implemented as a parametric block that can be properly configured depending on the requirements of the system; in the case of the NAVOLCHI demonstrator the incoming data is 90

bits wide, and the output data is 3 bits wide, meaning that a data word is segmented into 30 smaller chunks of bits.




Figure 6-10 : Serializer top level

Bus Inverter Encoder

The Bus Inverter (OI) Encoder aims at minimizing the Hamming distance between two consecutive data words to be transmitted, in order to minimize the switching activity of emitters. The algorithm implemented by this block consists in evaluating the Hamming distance between two back-to-back data words, i.e. the current and the previous ones, and inverting the current one if such a distance is greater than half data size; in case of inversion a specific flag (inv) is set.




Figure 6-11 : Bus Inverter Encoder microarchitecture

Analog blocks

The PHY adapter transmitter analog blocks are the modulator driver and the modulator.

Modulator driver

This block has the task of shaping the voltage levels generated by the digital parts according to the used CMOS technology in order to be able to drive the analog parts controlling the plasmonic emitters.

Just the VHDL behavioural model has been implemented for this block at the moment.

Encryption module

Whatever is the output of the PHY adapter, it can be encrypted simply performing a XOR with the input key coming from the external security encoder module. A key exists for each phyt (hi/lo), and the same keys are used in the receiver for the proper decoding.

PHY

The PHY implements the DDCM transmitter physical layer, responsible for the transmission at physical level of the phyts across the physical channel. It is composed of plasmonic emitters and plasmonic modulators.

Receiver

The DDCM receiver performs the following functions:

- phyts acquisition exploiting plasmonic components;
- phyts decryption when required;
- IDN segments assembly (deserialization);
- IDN segments routing;
- STNoC, STBus, AMBA AXI traffic and virtual wires reconstruction from IDN segments;
- frequency conversion when required;
- STNoC, STBus, AMBA AXI traffic size conversion when required;
- generation of STNoC, STBus, AMBA AXI traffic;
- generation of virtual wires traffic.
- credit information generation

PHY

The PHY implements the DDCM receiver physical layer, responsible for the acquisition at physical level of the phyts transmitted across the physical channel. It is composed of plasmonic amplifiers and plasmonic photodetectors.

PHY Adapter

It transforms phyts received from the PHY into DDCM segments; in particular this block is responsible for channel decoding for reconstructing the actual data previously encoded for reducing dynamic power consumption, and DDCM segments assembly through deserialization. The input of the PHY adapter is the output of the PHY, responsible for actual transmission across the physical channel.

The PHY adapter receiver is composed of some analog blocks and a number of digital blocks.

Figure 6-12 shows all the PHY adapter receiver building blocks together with the PHY building-blocks, so as they will be implemented in the project demonstrator (digital modules onto FPGA, analog blocks on a dedicated board).




Figure 6-12 – DDCM receiver layer A building-blocks

Analog blocks

The PHY adapter receiver analog blocks are the Trans Impedance Amplifier (TIA) and the comparator.

Trans Impedance Amplifier

This block acts as a current-to-voltage converter, taking the photocurrent generated by the plasmonic detector and generating a proper voltage, representing a logic '0', a logic '1' or simply noise (i.e. no detection).

Just the VHDL behavioural model has been implemented for this block at the moment.

Comparator

This block has the task of shaping the voltage levels generated by the TIA according to the used CMOS technology. It has also the task of generating a start signal to when actual information is received, allowing keeping the digital parts of the receiver idle when the TIA input current is simply noise and not a signal carrying actual information.

Also for this block just the VHDL behavioural model has been implemented at the moment.

Digital blocks

The PHY adapter receiver digital blocks are the deserializer, the decoders for power consumption reduction and the bi-synchronous FIFO.

Decryption module

The input of the PHY adapter can be decrypted, if previously encrypted during transmission, simply performing a XOR with the input key coming from the external security decoder module. A key exists for each phyt (hi/lo), and the same keys are used in the transmitter for the proper encoding.

Bus Inverter Decoder

This block relies on the 4th bit of the incoming data (*inv* flag) to determine whether the remaining 3-bits have to be inverted or not, according to what has been done by the related encoder in the transmitter, in order to obtain the original 3-bits data.




Figure 6-13 : Bus Inverter Decoder microarchitecture

Deserializer

The deserializer performs the reassembly of the incoming data according to the selected output data size.

It is implemented as a parametric block that can be properly configured depending on the requirements of the system; in the case of the NAVOLCHI demonstrator the incoming data is 3 bits wide, and the output data is 90 bits wide, meaning that an output data is built using 30 input 3-bits words.




Figure 6-14 : Deserializer top level

Optical Bus Inverter Decoder

This block relies on the 90th bit of the incoming data (*inv* flag) to determine whether the remaining 89-bits have to be inverted or not, according to what has been done by the related encoder in the transmitter, in order to obtain the original 89-bits data.




Figure 6-15 : Optical Bus Inverter Decoder microarchitecture

Bi-synchronous FIFO

Also in the receiver the bi-synchronous FIFO plays the twofold role of storage buffer, where incoming data are stored after they have been processed after reception, and retiming stage, breaking critical paths between off-chip receiver and data destinations.

Router


The router sends the re-generated IDN segment towards the proper Output Channel.

Request Output Channel

The Request Output Channel (ReqOC) generates STNoC request traffic either towards an STNoC downstream interface, or towards an STBus or an AMBA AXI target Network Interface.

It is divided in three main parts:

- **Shell**, responsible for the reconstruction of the STNoC request traffic from the IDN segments regenerated by the PHY adapter.
- **FIFOs** (header FIFO and payload FIFO), where the reconstructed STNoC request information is stored and performing frequency conversion when required;
- **Kernel**, responsible for performing flit size conversion when required, performing the src-remapping and generating the local routing information according to the incoming address and the local (local to the die) network topology.




6-16: Output channel generic structure

The IC shell in turn is composed of the following building-blocks:

- **IDN segment FIFO (Seg FIFO)** responsible for storing IDN segments after the deserialization performed by the PHY adapter and generating the credit information to be sent to the other die;
- **extraction module (Extract)** responsible for removing the IDN header and re-generating the original STNoC flits and related auxiliary signals; at this point only the STNoC transport layer header is re-generated, while the network layer header, depending on the local network topology, is built from scratch relying on network structure awareness and some programming information (QoS, routing).
- **input FSM (IFSM)** responsible for discriminating between header and payload flits and storing them in the respective FIFOs.


The IC kernel in turn is composed of the following building-blocks:

- **output FSM (OFSM)** responsible for reading header or payload FIFO depending on incoming traffic shape;
- **upstream interface (US)** responsible for propagating the proper flit and its associated signals.



6-17: Output channel micro-architecture

The extraction module of the Request Output Channel, dealing with STNoC requests, has the function of regenerating the STNoC flits and auxiliary signals, performing the src remapping, generating the QoS information and generating the routing information according to the topology of the network of the local die.



6-18 Request OC encapsulation module function


Response Output Channel

The Response Output Channel (ReqOC) generates STNoC response traffic either towards an STNoC downstream interface, or towards an STBus or an AMBA AXI initiator Network Interface.

It is divided in three main parts:

- **Shell**, responsible for the reconstruction of the STNoC response traffic from the IDN segments regenerated by the PHY adapter.
- **FIFOs** (header FIFO and payload FIFO), where the reconstructed STNoC response information is stored and performing frequency conversion when required;
- **Kernel**, responsible for performing flit size conversion when required and generating the local routing information according to the incoming src and the local (local to the die) network topology.

The extraction module of the Response Output Channel, dealing with STNoC responses, has the function of regenerating the STNoC flits and auxiliary signals, generating the QoS information and generating the routing information according to the topology of the network of the local die.



6-19 Response OC encapsulation module function

Virtual wires Output Channel

The Virtual Wires Output Channel (VWOC) generates asynchronous signals not following any standard protocol, such as interrupts, power down handshake, etc.

7 Reset strategy

The reset strategy adopted in the DDCM with plasmonics-based PHY is exactly the same as in the case of electrical PHY. Refer to document D5.1 for details about this feature.

8 Power control

The strategy adopted in the DDCM for reducing as much as possible the power consumption is exactly the same as in the case of electrical PHY; the same two main mechanisms are used for achieving this objective:

- Activity-driven clock gating
- Source encoding

A detailed description of the activity-driven clock gating can be found in document D5.1; while the source encoding techniques implemented via the Bus Inverter (BI) and the Optical Bus Inverter (OBI) are described in document MS29 (Data codecs for power consumption reduction).